

L401U

1" LARGE DIAPHRAGM USB MICROPHONE

DRIVER USER'S GUIDE

Contact

Marketing and sales

Goang-Fann Co., Ltd.
+886-2-26931323
sales@superlux.com.tw
support@superlux.com.tw

Manufacturing & logistics

Superlux Enterprise
Development (Shanghai) Co., Ltd.

Superlux[®]



[+ View Larger](#)

or studio environment. The plug-and-play design of the L401U large diaphragm USB microphone ensures compatibility with both Windows and Mac operating systems and supports the majority of available DAW software.

The high-quality A to D converter and USB output of the Superlux L401U makes accurate recording effortless. The rear of the L401U features a zero-latency stereo headphone monitoring (3.5mm) jack to provide real-time microphone input monitoring. A direct/mixing knob allows you to adjust the monitoring level between mic input and audio output easily.

The Superlux L401U large diaphragm microphone is a quality tool that is the right choice for any professional stage, home or studio application.

Features

Specifications

Accessories

[Download](#)

General Features


STEP 1 Enter www.superlux.com.tw and search “L401U” at the search bar.

Or follow www.superlux.com.tw → Personal Audio → Wired Microphones → USB Microphones and find L401U.


Click the L401U product graphic to enter into the product page

	L401U_300_dpi_high_resolution_picture	2114KB png
Media Files		
L401U	L401U_driver_for_XP	5207KB zip
L401U	L401U_driver_for_Win10_&_Win7	4946KB zip


STEP 2 In the L401U product page, hit “Download” tab and go down to the “Media Files” section. Find the right version of the driver based on the Windows OS system accordingly. Double click the right driver to download





STEP 3 After download the compressed file, unzip the file. Open the file and find an installation file “BravoHDSwPkgSetup.msi”. Double click “setup.exe” to install



STEP 4 Follow the installation instruction to complete the installation







STEP 5 Installation complete

 System restart required ✕



If you want to complete the installation of this software package, you have to restart the system!
Please click button "Yes" to restart the system right now.
If you want to restart the system later yourself, please click button "No".
(If you click button "Yes", system will be restarted in 60 seconds.)

是(Y)

否(N)

STEP 6 After finishing the installation. The system requires to restart the system. Click button "Yes" to restart the system