


## E205U USB Condenser Microphone

The E205U is a high quality condenser microphone with an advanced A/D and USB interface which gives you digital recording capabilities instantly with no external digital interface or software driver required. It is USB compatible with Mac, Windows, and most DAW software programs, including GarageBand. The E205U offers premium quality audio recording with ease and mobility, and with its mic stand mount adapter and 9.8 ft. (3-meter) USB cable, the E205U is a valuable kit for any project studio.

- Smooth, flat frequency response
- Plug in and start recording, no drivers required
- Up to 16 bit / 48 kHz sampling
- Powered by USB power, no external power required
- Headphone output and volume control
- Includes pivoting stand mount, USB cable, threaded adapter and pouch



### Package



Type	Back electret condenser
Polar Pattern	Supercardioid
Frequency Response	30-18,000 Hz
Sensitivity	-38 dBV/Pa (12.6 mV) (at 1,000 Hz Open Circuit Voltage)
Max. SPL	>135 dB SPL
Power Requirements	USB 5V, <30 mA
Resolution	Up to 16 bit/48k Hz sampling rate
Finish	Champagne silver
Connector	USB B-Type, 1/8" (3.5 mm) phone connector
Dimensions	Ø54 × 150 mm (Ø2.13" × 5.9")
Net Weight	422 g (14.9 oz)
Accessories Furnished	3-meter USB cable HM85 adapter YA2 threaded adapter Pouch DS01 table stand




Optional Accessories HM56 spider shockmount



## E205U USB 錄音麥克風

高品質電容麥克風，再加上USB介面，整合在一支麥克風上，讓你立即實現數位錄音。E205U相容於Mac或Windows，及大部份的DAW數位錄音工作站軟體。E205U優越的錄音品質，及其容易使用和便利的移動性，再加上旋轉接頭、USB線，使E205U是任何錄音室超值的選擇。

- 平順及平坦的頻率響應
- 隨插即用，不需要額外驅動程式
- USB供電
- 解析度 16位元/48k Hz
- 耳機輸出含音量控制
- 隨附旋轉接頭、USB線、轉換螺母、便攜袋



包裝



音頭	背駐極電容
指向性	超心形
頻率響應	30-18,000 Hz
靈敏度	-38 dBV/Pa (12.6 mV)
最大聲壓SPL	>135 dB (諧波失真 $\leq$ 1%1000Hz)
電源需求	USB 5V, < 30 mA
表面塗裝	香檳銀
接頭	3.5 mm 耳機接口, USB B-Type
尺寸	$\varnothing$ 54 × 150 mm
淨重	422g
隨貨附件	3米USB線、HM85旋轉接頭、YA2轉換螺母、便攜袋、DS01麥克風桌架




選購配件 HM56防震架



## E205U USB 录音麦克风

高品质电容麦克风，再加上USB介面，整合在一支麦克风上，让你立即实现数位录音。E205U相容于Mac或Windows，及大部份的DAW数位录音工作站软体。E205U优越的录音品质，及其容易使用和便利的移动性，再加上旋转接头、USB线，使E205U是任何录音室超值的選擇。

- 平顺及平坦的频率响应
- 随插即用，不需要额外驱动程序
- USB供电
- 解析度16位元/48k Hz
- 耳机输出含音量控制
- 随附旋转接头、USB线、转换螺母、便携袋



包装



音头	背驻极电容
指向性	超心形
频率响应	30-18,000 Hz
灵敏度	-38 dBV/Pa (12.6 mV)
最大声压SPL	>135 dB (谐波失真 $\leq$ 1%1000Hz)
电源需求	USB 5V, < 30 mA
表面涂装	香槟银
接头	3.5 mm 耳机接口, USB B-Type
尺寸	$\varnothing$ 54 × 150 mm
净重	422g
随货附件	3米USB线、HM85旋转接头、YA2转换螺母、便携袋、DS01话筒桌架



选购配件 HM56防震架

