

E205

STUDIO CONDENSER MICROPHONE

Description

Designed for critical home/project/professional studio applications and live performances, this side-address supercardioid studio condenser delivers exceptional detail and low noise. Along with its rugged construction and high-performance specifications, the E205 provides an exceptional level of consistency from model to model.

Features

- Large diaphragm for smooth, natural sound and low noise
- High SPL handling and wide dynamic range provide unmatched versatility
- Supercardioid polar pattern reduces pickup of sounds from the sides and rear, improving isolation of desired sound source




Included



Specifications

Type	Back Electret Condenser
Polar Pattern	Supercardioid
Frequency Response	30-18,000 Hz
Sensitivity	-38 dBV / Pa (12.6 mV)
Output Impedance	200 Ω
Min. Load Impedance	1,000 Ω
S/N Ratio	72 dB
Equivalent Output Noise	< 22 dB SPL
Max. SPL	> 135 dB SPL
Dynamic Range	> 113 dB
Power Requirements	12-52V DC, 3.5 mA
Finish	Black
Connectors	XLR3M
Dimensions	$\varnothing 54 \times 150$ mm ($\varnothing 2.13" \times 5.9"$)
Net Weight	400 g (14.1 oz)

E205 Frequency Response (Supercardioid)



E205- Interim Catalogue 暫行目錄

*Specifications are subject to change without notice
* 設計和規格如有更改，恕不另行通知