Superlux®

SINGLE PACK

CMH8KMKII

PROFESSIONAL INTERCHANGEABLE-CAPSULE CONDENSER MICROPHONE

Instruction Manual p.1
使用手冊 p.7
使用手册 p.13

Instruction Manual

CMH8KMKII

PROFESSIONAL INTERCHANGEABLE-CAPSULE CONDENSER MICROPHONE

Description

The CMH8KMKII continues the series' hallmark sound—natural, clear, and detailed—with a quiet background and a wide dynamic range that captures the full expression of vocals, voiceovers, acoustic instruments, and percussion. Its interchangeable capsule system offers three pickup patterns—cardioid, supercardioid, and omnidirectional—allowing users to adapt easily to different recording environments, spaces, or stage conditions.

Whether used in the studio or on stage, the CMH8KMKII delivers stable output and authentic tonal depth with exceptional clarity and precision. Constructed with a durable silver-metal body, the CMH8KMKII combines professional aesthetics with long-lasting reliability.

Features

- Low-noise circuitry ensures a clean background and reveals subtle details
- Wide dynamic range and high SPL handling for vocals, voiceovers,


acoustic and percussion recording
- Balanced tonal response—stable lows, clear mids, and smooth highs for effortless post-production
- Interchangeable capsule system with cardioid, supercardioid, and omnidirectional options
- Rugged silver-metal construction for durability and professional appearance


Specifications


*Note:Specifications are subject to change.


Type	Condenser Microphone	Dynamic range	123 dB
Polar pattern	Cardioid, Supercardioid, Omni	MAX. SPL	135 dB
Sensitivity	-38 ± 2 dBV/Pa	Power supply	48V phantom
Frequency response	20 - 20,000 Hz	Dimensions	Ø20 × 127 mm
Rated impedance	200 Ω	Net weight	109 g (single)
Equivalent Output Noise	<12 dB	Connector	XLR3M
S/N Ratio	82 dB		


Frequency Response
















Dimensions




Unit:mm


Included




Cardioid
Capsule




Supercardioid
Capsule




Omni
Capsule



YA2
Threaded Adapter



S08F Pencil Type
Microphone Foam



HM10S
Microphone Clip

www.superlux.com.tw

Contact

Superlux official
Marketing and sales
+886-2-26031323
sales@superlux.com.tw
support@superlux.com.tw